
Peering Security

AFPIF-10


Mauritius

Walt Wollny, Director Interconnection Strategy
Hurricane Electric AS6939

Who is Walt Wollny?

- ❑ Hurricane Electric AS6939 – 4 years
 - ❑ Director Interconnection Strategy – supporting the network to reach to over 44 countries and over 219 Internet Exchanges. Focus on Global connectivity.
- ❑ Amazon AS16509 – 4 years
 - ❑ Developed IP Transit and Peering on five continents.
 - ❑ Primary focus on Japan, Singapore, Hong Kong, India, Taiwan, Philippines, Australia.
 - ❑ Over 62 new CDN sites.
- ❑ Microsoft AS8075 – 13 years
 - ❑ Developed IP Transit and Peering on four continents.
 - ❑ Primary focus on US, EU and South America.

Hurricane Electric Backbone



The Most Peering Exchanges



HURRICANE ELECTRIC
INTERNET SERVICES

Search

Internet Exchange Report

Quick Links


[BGP Toolkit Home](#)
[BGP Prefix Report](#)
[BGP Peer Report](#)
[Exchange Report](#)
[Bogon Routes](#)
[World Report](#)
[Multi Origin Routes](#)
[DNS Report](#)
[Top Host Report](#)
[Internet Statistics](#)
[Looking Glass](#)
[Network Tools App](#)
[Free IPv6 Tunnel](#)
[IPv6 Certification](#)
[IPv6 Progress](#)
[Going Native](#)
[Contact Us](#)

Internet Exchanges

Exchange Participants

| IX Participation Count | | |
|-------------------------|--|------|
| ASN | Name | IXes |
| AS6939 | Hurricane Electric LLC | 219 |
| AS13335 | Cloudflare, Inc. | 219 |
| AS42 | WoodyNet | 178 |
| AS3856 | Packet Clearing House | 170 |
| AS20940 | Akamai International B.V. | 165 |
| AS15169 | Google LLC | 152 |
| AS8075 | Microsoft Corporation | 147 |
| AS32934 | Facebook, Inc. | 108 |
| AS16509 | Amazon.com, Inc. | 100 |
| AS2906 | Netflix Streaming Services Inc. | 95 |
| AS10310 | Oath Holdings Inc. | 87 |
| AS26415 | VeriSign Global Registry Services | 77 |
| AS54113 | Fastly | 75 |
| AS22822 | Limelight Networks, Inc. | 75 |
| AS15133 | EdgeCast Networks, Inc. d/b/a Verizon Digital Media Services | 74 |

IX Participation Count



Why So Many Peering Exchanges?

Why So Many Peering Exchanges?



HURRICANE ELECTRIC
INTERNET SERVICES

Search

BGP Peer Report

Quick Links

[BGP Toolkit Home](#)
[BGP Prefix Report](#)
[BGP Peer Report](#)
[Exchange Report](#)
[Bogon Routes](#)
[World Report](#)
[Multi Origin Routes](#)
[DNS Report](#)
[Top Host Report](#)
[Internet Statistics](#)
[Looking Glass](#)
[Network Tools App](#)
[Free IPv6 Tunnel](#)
[IPv6 Certification](#)
[IPv6 Progress](#)

Adjacencies

Adjacency History


Prefixes

Prefix History

IPv4 Addresses Originated

| IPv4 Adjacencies | | |
|------------------|--|-------|
| ASN | Name | Count |
| AS6939 | Hurricane Electric LLC | 7,452 |
| AS174 | Cogent Communications | 5,765 |
| AS3356 | Level 3 Parent, LLC | 5,162 |
| AS36236 | NetActuate, Inc | 4,020 |
| AS24482 | SG.GS | 3,663 |
| AS37468 | Angola Cables | 3,015 |
| AS267613 | ELETRONET S.A. | 2,683 |
| AS51185 | Onecom Global Communications LTD | 2,680 |
| AS7713 | PT Telekomunikasi Indonesia | 2,661 |
| AS39120 | Convergenze S.p.A. | 2,498 |

AS IPv4 Adjacency Count Chart



Before we start.....

We all live in glass houses..

Offer to help and drop that rock....

What does security have to do with Peering?

A lot. Now.

Security was an afterthought, but it has become **critically** important with the increase of BGP hijacks

Some of the basics...

Basics

- Best defenses for your network?
 - ❑ Logical Port Security
 - ❑ IXP Subnet Security
 - ❑ Routing Security
 - ❑ <http://routing.he.net/>

Logical Port Security

- Many IXPs will post their recommended port configuration ([HKIX](#), [AMS-IX](#), etc).
- Don't just connect an interface with a default configuration to an IX Port!
- Services like Proxy-ARP will disrupt the IX as well as degrade your own network.
- Most IXs allow only unicast traffic. (IPv6 multicast neighbor discovery packets are an exception.0

Logical Port Security

- Apply ACL's to your interfaces—don't forget to configure both IPv4 and IPv6 ACLs!
- The SIX (Seattle Internet Exchange) has a great example [here](#).
- Your IX port is an exposed piece of your network.
- Hundreds of other networks are directly connected.
- Remove this security risk!

Logical Port Security

- Why do we care?

AMS-IX

Ticket: 341134

Subject: Instability on AMS-IX

Status: closed

Opened: 2017-06-20 16:04:56 +0200

Type: unscheduled

Scope: AMS-IX NL

Start: 2017-06-20 15:20:00 +0200

CLOSED 2017-06-21 16:54:10 +0200:

Total impact time – 1 hour 34 mins

Root cause human error

The instability was caused due to a hardware issue on the customer's NIC and due to **proxy-arp** being enabled **after** the port passed the testing phase and was moved to production.

BBIX Tokyo

Occurred time: 2018/5/16 17:28 JST
Corresponded time: 2018/5/16 17:48 JST
Recovered time: 2018/5/16 18:10 JST
Affected area: BBIX Tokyo IX service

Total impact time – 39 mins

Root cause human error

Arp proxy response(= proxy arp) became effective when we changed the subnet mask on our monitoring router

IXP Subnet

- Your IX Port is a target for DDoS Attacks!
- Applying the best security practices will help limit the exposure.

IXP Subnet

- The IXP is responsible for protecting the infrastructure.
- The IX LAN is not your IP space and should not be routed.
- Checking this...


IXP Subnet

Public Peering Exchange Points

JPNAP|

| Exchange ▼ ASN | IPv4 IPv6 | Speed RS Peer |
|-------------------------------------|---|------------------|
| JPNAP Osaka 6939 | 210.173.178.70 2001:7fa:7:2::6939:1 | 10G ○ |
| JPNAP Tokyo 6939 | 210.173.176.106 2001:7fa:7:1::6939:1 | 10G ○ |

IXP Subnet



Quick Links

- [BGP Toolkit Home](#)
- [BGP Prefix Report](#)
- [BGP Peer Report](#)
- [Exchange Report](#)
- [Bogon Routes](#)
- [World Report](#)
- [Multi Origin Routes](#)
- [DNS Report](#)
- [Top Host Report](#)
- [Internet Statistics](#)
- [Looking Glass](#)
- [Network Tools App](#)
- [Free IPv6 Tunnel](#)

IP Info **Whois** **DNS** **RBL**


210.173.176.106 (gigabithernet2-8.core1.tyo1.he.net)

| Announced By | | |
|-------------------------|--------------------------------------|-------------|
| Origin AS | Announcement | Description |
| AS7521 | 210.173.160.0/19 🔑 ✓ | |
| AS7521 | 210.173.176.0/20 🔑 ✓ | |
| AS18403 | 210.173.176.0/24 🔑 ✓ | |

Address has 0 hosts associated with it.



IXP Subnet



HURRICANE ELECTRIC
INTERNET SERVICES

 Search

210.173.176.106

Quick Links

[BGP Toolkit Home](#)
[BGP Prefix Report](#)
[BGP Peer Report](#)
[Exchange Report](#)
[Bogon Routes](#)
[World Report](#)
[Multi Origin Routes](#)
[DNS Report](#)
[Top Host Report](#)
[Internet Statistics](#)
[Looking Glass](#)
[Network Tools App](#)
[Free IPv6 Tunnel](#)







IP Info

Whois

DNS

RBL

210.173.176.106 (gigabithernet2-8.core1.tyo1.he.net)

| Announced By | | |
|----------------|---|-------------|
| Origin AS | Announcement | Description |
| <u>AS7521</u> | <u>210.173.160.0/19</u>   | |
| <u>AS7521</u> | <u>210.173.176.0/20</u>   | |
| <u>AS18403</u> | <u>210.173.176.0/24</u>   | |

Address has 0 hosts associated with it.



IXP Subnet

← → ↻ <https://bgp.he.net/6/210.173.176.106>

Apps TPE golf HE stuff personal toons ITW Matrix - ITA Softw... 25 Google C



HURRICANE ELECTRIC
INTERNET SERVICES

Search

210.173.176.106

Quick Links

[BGP Toolkit Home](#)
[BGP Prefix Report](#)
[BGP Peer Report](#)
[Exchange Report](#)
[Bogon Routes](#)
[World Report](#)
[Multi Origin Routes](#)
[DNS Report](#)
[Top Host Report](#)
[Internet Statistics](#)
[Looking Glass](#)
[Network Tools App](#)
[Free IPv6 Tunnel](#)

IP Info

Whois

DNS

RBL

210.173.176.106 (gigabitethernet2-8.core1.tyo1.he.net)

| Announced By | | |
|--------------|------------------|-------------|
| Origin AS | Announcement | Description |
| AS7521 | 210.173.176.0/24 | ??? |
| AS7521 | 210.173.176.0/20 | ??? |
| AS18403 | 210.173.176.0/24 | ??? |

Address has 0 hosts associated with it.



IXP Subnet

- The IX LAN is not your IP space and should not be routed.
- Some of the smaller guys

IXP Subnet

Europe

| CC Exchange | Speed | IPv4 | IPv6 |
|----------------|--------|----------------|--------------------------|
| ----- | | | |
| VIX | 2x10GE | 193.203.0.185 | 2001:7f8:30:0:2:1:0:6939 |
| BNIX | 2x10GE | 194.53.172.33 | 2001:7f8:26::a500:6939:1 |
| B-IX Balkans | 10GE | 217.174.157.31 | 2001:7f8:8e::31 |
| BIX.BG | 2x10GE | 193.169.198.70 | 2001:7f8:58::1b1b:0:1 |
| NetIX | 10GE | 193.218.0.89 | 2001:67c:29f0::6939:1 |
| MegaIX Sofia | 10GE | 91.212.235.55 | 2001:7f8:9f::a:6939:1 |
| T-CIX Bulgaria | 10GE | 185.1.40.26 | 2001:7f8:98::26 |
| CIXP | 10GE | 192.65.185.143 | 2001:7f8:1c:24a::1b1b:1 |

IXP Subnet

- Some of the big ones.....

IXP Subnet

Europe

| CC Exchange | Speed | IPv4 | IPv6 |
|-------------|-------|------|------|
|-------------|-------|------|------|

| | | | |
|------------------|---------|----------------|--------------------------|
| DE-CIX Frankfurt | 2x100GE | 80.81.192.172 | 2001:7f8::1b1b:0:1 |
| France-IX Paris | 2x10GE | 37.49.236.10 | 2001:7f8:54::10 |
| AMS-IX | 2x100GE | 80.249.209.150 | 2001:7f8:1::a500:6939:1 |
| LINX | 100GE | 195.66.224.21 | 2001:7f8:4:0::1b1b:1 |
| MSK-IX Moscow | 2x100GE | 195.208.210.40 | 2001:7f8:20:101::210:40 |
| NL-IX | 3x10GE | 193.239.116.14 | 2001:7f8:13::a500:6939:1 |

Africa IXP Subnet?

IXP Subnet

| CC Exchange | Speed | IPv4 | IPv6 |
|------------------------|-------|----------------|----------------------|
| ----- | | | |
| DjIX | | 196.223.38.206 | 2001:43f8:9c1:1::206 |
| KIXP | | 196.223.21.74 | 2001:43f8:60:1::74 |
| CINX | | 196.223.22.108 | 2001:43f8:1f1::108 |
| DINX | | 196.223.30.108 | 2001:43f8:1f2::108 |
| NAPAfrica Cape Town | | 196.10.140.165 | 2001:43f8:6d1::165 |
| NAPAfrica Durban | | 196.10.141.42 | 2001:43f8:6d2::42 |
| NAPAfrica Johannesburg | | 196.60.8.42 | 2001:43f8:6d0::42 |
| JINX | | 196.223.14.108 | 2001:43f8:1f0::108 |

IXP Subnet



[HOME](#) [BLOG](#) [ABOUT US](#) [PRODUCTS AND SERVICES](#) [CLIENT PORTAL](#)



Plans and Pricing

Our **Basic plan** enables you to monitor up to 5 prefixes for free. Our **premium plan** allows you to monitor more than 5 prefixes, provides full alert details plus it comes with a number of other features such as access to our web services API, our popular daily routing report software which informs you of any routing changes for your network. Other extras include an additional email address for alerts as well as SMS formatted emails.

[Create new BGPmon account](#)

Our features include:

| | Basic | Premium |
|--|-------|---------|
| Real time prefix monitoring and alerting | ✓ | ✓ |
| ROA validation monitoring | ✓ | ✓ |
| Autonomous system reporting | ✓ | ✓ |
| Daily routing reports | | ✓ |
| BGPmon webservice API | | ✓ |
| Full alert details | | ✓ |
| Additional email for notifications | | ✓ |
| SMS and phone call notification | | ✓ |

▶ **Basic:**
monitor up to
5 prefixes
for free

▶ **Premium:**
starting from
\$13 / prefix / month

This product is now end of life in March 2020

BGPmon.net Notification

BGPmon Alert

Sent: Wednesday, January 30, 2019 at 11:08 AM

To: info@seattleix.net

You received this email because you are subscribed to BGPmon.net.

For more details about these updates please visit:

<https://portal.bgpmon.net/myalerts.php>

=====
Possible Prefix Hijack (Code: 10)
=====

Your prefix: 206.81.80.0/22:
Update time: 2019-01-29 21:55 (UTC)
Detected by #peers: 1
Detected prefix: 206.81.80.0/23
Announced by: AS10310 (YAHOO-1 - Yahoo!, US)
Upstream AS: AS29467 (LUXNETWORK Network Service Provider in Luxembourg, LU)
ASpath: 60983 29467 10310
Alert details: https://portal.bgpmon.net/alerts.php?details&alert_id=86973730
Mark as false alert: <https://portal.bgpmon.net/fp.php?aid=86973730>

*for questions regarding the change code or other question, please see:

<https://portal.bgpmon.net/faq.php>

Latest BGPmon news: <http://bgpmon.net/blog/>

- * Popular Destinations rerouted to Russia
- * Today's BGP leak in Brazil
- * BGP leak causing Internet outages in Japan and beyond.

IXP Subnet

Why do we care?

IXP Subnet

The DDoS That Almost Broke the Internet

Cloudflare March 2013 ~120Gbps attack on LINX


Basics - Routing Security

You must filter your peers.

- Most networks don't filter their peers.
- This is negligent behavior.


Routing Security: Why it matters

On 28 December 2018 China Telecom hijacked a US Department of Energy prefix (192.208.19.0/24) and did not correct the problem for 6 days.





At 06:28 UTC earlier today (30-Jul), an Iranian state telecom network briefly leaked over 100 prefixes. Most were Iranian networks, but the leak also included 10 prefixes of popular messaging app [@telegram](#) (8 were more-specifics).



https://bgpstream.com

- Every day there are several hijacks and leaks

| | | | | |
|-----------------|---|------------------------|------------------------|-----------------------------|
| Possible Hijack | <i>Expected Origin AS:</i> COMCAST-7922 - Comcast Cable Communications, LLC, US (AS 7922) <i>Detected Origin AS:</i> LIVEPERSON-ASN, IL (AS 49794) | 2019-08-21 14:20:14 | | More detail |
| Possible Hijack | <i>Expected Origin AS:</i> ADAPT-AS, GB (AS 24867) <i>Detected Origin AS:</i> LEVEL3 - Level 3 Parent, LLC, US (AS 3356) | 2019-08-21 14:20:14 | | More detail |
| Possible Hijack | <i>Expected Origin AS:</i> GLBB-JP GLBB Japan KK, JP (AS 55900) <i>Detected Origin AS:</i> MULTIDATA-ID-AP PT Multidata Rancana Prima, ID (AS 58552) | 2019-08-21 12:57:31 | | More detail |
| Outage | Fundação Carlos Chagas Filho de Amparo a Pesquisa, BR (AS 2715) | 2019-08-21 12:42:00 | 2019-08-21 12:54:00 | More detail |
| Outage | Assoc do Inst Nac de Matematica Pura e Aplicada, BR (AS 262829) | 2019-08-21 12:42:00 | 2019-08-21 12:54:00 | More detail |
| Possible Hijack | <i>Expected Origin AS:</i> LASVEGASNET-AS - LasVegas.Net LLC, US (AS 27501) <i>Detected Origin AS:</i> LIQUID-AS, GB (AS 30844) | 2019-08-21 10:48:30 | | More detail |
| Possible Hijack | <i>Expected Origin AS:</i> LASVEGASNET-AS - LasVegas.Net LLC, US (AS 27501) <i>Detected Origin AS:</i> LIQUID-AS, GB (AS 30844) | 2019-08-21 10:48:30 | | More detail |

Basics - Routing Security

I know we can do better

Basics - Routing Security

You must filter your peers!

Basics - Routing Security

- Routing security is important in two directions:
 - The routes you receive
 - The routes you announce
- Starting with the routes you receive...

Basics - Routing Security

- The routes you receive can be filtered in a few ways:
 - Prefix Count
 - AS-Path
 - Prefix list
 - RPKI

Basics - Routing Security

- Prefix Count

Consider tightening up the limits
with bgp neighbor restart/graceful

Basics - Routing Security

AS-Path

BBIX peer 各位 (Dear BBIX peering partners,)

さくらインターネット(AS9371)の津田です。
いつもお世話になっております。

弊社から広報しておりますAS Pathに変更が御座います。
AS Pathでのフィルタ設定が御座います場合、設定変更をお願い致します。

AS name: SAKURA-C
AS set: AS-SAKURA
AS number: 9371

▼追加するAS Path(IPv4)

^(9371_)+(2519_)+(9354_)+(10001_)+\$

^(9371_)+(9370_)+(2519_)+(9354_)+(10001_)+\$

Basics - Routing Security

Prefix list per neighbor

```
ip prefix-list AS57660 permit 37.26.208.0/20  
ip prefix-list AS57660 permit 185.67.16.0/22  
ip prefix-list AS57660 permit 212.67.48.0/20
```

Basics - Routing Security

RPKI

Basics - Routing Security

Building filters does not have to be hard. You can script it yourself or use a tool like bgpq3. Here is an example using bgpq3 to generate a prefix list for a Juniper router:

```
walt@staff:~$ bgpq3 -J4I AS57660-IN AS57660
policy-options {
replace:
  prefix-list AS57660-IN {
    37.26.208.0/20;
    185.67.16.0/22;
    212.67.48.0/20;
  }
}
walt@staff:~$
```

IXPs using RPKI

- AMS-IX
- DE-CIX
- France-IX
- LINX
- LONAP
- Over 58 IXP today and more coming!
- **Downside is that not all networks peer on route servers**
- <http://peering.exposed/>

<http://routing.he.net>

[ROUTE FILTERING HOME ALGORITHM](#)

AS13335

| ASN | STATUS | PEERINGDB_IRR | EXTRACTED_V4 | EXTRACTED_V6 | OK_V4 | OK_V6 | SOURCE |
|-------|----------|---------------|--------------|--------------|---------------|---------------|-----------|
| 13335 | explicit | AS-CLOUDFLARE | | | AS-CLOUDFLARE | AS-CLOUDFLARE | peeringdb |

FILTERS

| AF | AS-SET NAME | IRR STATUS | IRR BUILT | IRR LINES | PREFIXES RECEIVED | FILTER BUILT | FILTER LINES | POLICY | REASONS | FILTER |
|----|---------------|------------|-------------------------|-----------|-------------------|-------------------------|--------------|-------------------------|-------------------------|-------------------------|
| 4 | AS-CLOUDFLARE | good | May 20 2019 13:20:28 | 1381 | 600 | May 21 2019 13:19:06 | 600 | DISPLAY | DISPLAY | DISPLAY |
| 6 | AS-CLOUDFLARE | good | May 20 2019 13:20:36 | 1026 | 224 | May 21 2019 13:19:10 | 224 | DISPLAY | DISPLAY | DISPLAY |

PREFIX LISTS

| AF | ROUTER | NAME | STATUS | CHECKED | EXISTING_LINES | VERIFIED | EXISTING | DELTA | LOG |
|----|-------------------|-----------------------|---------|-------------------------|----------------|-------------------------|-------------------------|-------------------------|-------------------------|
| 4 | core1.akl1.he.net | prefix-filter-as13335 | updated | May 21 2019 14:28:29 | 606 | May 21 2019 14:28:36 | DISPLAY | DISPLAY | DISPLAY |

[ROUTE FILTERING HOME ALGORITHM](#)

AS13335

| ASN | STATUS | PEERINGDB_IRR | EXTRACTED_V4 | EXTRACTED_V6 | OK_V4 | OK_V6 | SOURCE |
|-------|----------|---------------|--------------|--------------|---------------|---------------|-----------|
| 13335 | explicit | AS-CLOUDFLARE | | | AS-CLOUDFLARE | AS-CLOUDFLARE | peeringdb |

FILTERS

| AF | AS-SET NAME | IRR STATUS | IRR BUILT | IRR LINES | PREFIXES RECEIVED | FILTER BUILT | FILTER LINES | POLICY | REASONS | FILTER |
|----|---------------|------------|----------------------|-----------|-------------------|----------------------|--------------|-------------------------|-------------------------|-------------------------|
| 4 | AS-CLOUDFLARE | good | May 20 2019 13:20:28 | 1381 | 600 | May 21 2019 13:19:06 | 600 | DISPLAY | DISPLAY | DISPLAY |
| 6 | AS-CLOUDFLARE | good | May 20 2019 13:20:36 | 1026 | 224 | May 21 2019 13:19:10 | 224 | DISPLAY | DISPLAY | DISPLAY |

PREFIX LISTS

| AF | ROUTER | NAME | STATUS | CHECKED | EXISTING_LINES | VERIFIED | EXISTING | DELTA | LOG |
|----|-------------------|-----------------------|---------|----------------------|----------------|----------------------|-------------------------|-------------------------|-------------------------|
| 4 | core1.akl1.he.net | prefix-filter-as13335 | updated | May 21 2019 14:28:29 | 606 | May 21 2019 14:28:36 | DISPLAY | DISPLAY | DISPLAY |

[ROUTE FILTERING HOME ALGORITHM](#)

AS13335

| ASN | STATUS | PEERINGDB_IRR | EXTRACTED_V4 | EXTRACTED_V6 | OK_V4 | OK_V6 | SOURCE |
|-------|----------|---------------|--------------|--------------|---------------|---------------|-----------|
| 13335 | explicit | AS-CLOUDFLARE | | | AS-CLOUDFLARE | AS-CLOUDFLARE | peeringdb |

FILTERS

| AF | AS-SET NAME | IRR STATUS | IRR BUILT | IRR LINES | PREFIXES RECEIVED | FILTER BUILT | FILTER LINES | POLICY | REASONS | FILTER |
|----|---------------|------------|----------------------|-----------|-------------------|----------------------|--------------|-------------------------|-------------------------|-------------------------|
| 4 | AS-CLOUDFLARE | good | May 20 2019 13:20:28 | 1381 | 600 | May 21 2019 13:19:06 | 600 | DISPLAY | DISPLAY | DISPLAY |
| 6 | AS-CLOUDFLARE | good | May 20 2019 13:20:36 | 1026 | 224 | May 21 2019 13:19:10 | 224 | DISPLAY | DISPLAY | DISPLAY |

PREFIX LISTS

| AF | ROUTER | NAME | STATUS | CHECKED | EXISTING_LINES | VERIFIED | EXISTING | DELTA | LOG |
|----|-------------------|-----------------------|---------|----------------------|----------------|----------------------|-------------------------|-------------------------|-------------------------|
| 4 | core1.akl1.he.net | prefix-filter-as13335 | updated | May 21 2019 14:28:29 | 606 | May 21 2019 14:28:36 | DISPLAY | DISPLAY | DISPLAY |

ROUTE FILTERING HOME ALGORITHM

AS13335

| ASN | STATUS | PEERINGDB_IRR | EXTRACTED_V4 | EXTRACTED_V6 | OK_V4 | OK_V6 | SOURCE |
|-------|----------|---------------|--------------|--------------|---------------|---------------|-----------|
| 13335 | explicit | AS-CLOUDFLARE | | | AS-CLOUDFLARE | AS-CLOUDFLARE | peeringdb |

FILTERS

| AF | AS-SET NAME | IRR STATUS | IRR BUILT | IRR LINES | PREFIXES RECEIVED | FILTER BUILT | FILTER LINES | POLICY | REASONS | FILTER |
|----|---------------|------------|----------------------|-----------|-------------------|----------------------|--------------|-------------------------|-------------------------|-------------------------|
| 4 | AS-CLOUDFLARE | good | May 20 2019 13:20:28 | 1381 | 600 | May 21 2019 13:19:06 | 600 | DISPLAY | DISPLAY | DISPLAY |
| 6 | AS-CLOUDFLARE | good | May 20 2019 13:20:36 | 1026 | 224 | May 21 2019 13:19:10 | 224 | DISPLAY | DISPLAY | DISPLAY |

PREFIX LISTS

| AF | ROUTER | NAME | STATUS | CHECKED | EXISTING_LINES | VERIFIED | EXISTING | DELTA | LOG |
|----|-------------------|-----------------------|---------|----------------------|----------------|----------------------|-------------------------|-------------------------|-------------------------|
| 4 | core1.akl1.he.net | prefix-filter-as13335 | updated | May 21 2019 14:28:29 | 606 | May 21 2019 14:28:36 | DISPLAY | DISPLAY | DISPLAY |

SESSIONS

295 sessions.

SESSION STATUS IS NON REALTIME, DATA IN TABLE IS DELAYED APPROXIMATELY 24 HOURS

| IP | ROUTER | STATUS | ACCEPTED | FILTERED | RECEIVED | RCVD STATUS | RCVD UPDATED | RCVD ACCEPTED | RCVD FILTERED |
|-----------------|-------------------|--------|----------|----------|-------------------------|-------------|----------------------------------|---------------|---------------|
| 103.16.102.93 | core1.sin1.he.net | ESTAB | 0 | 266 | DISPLAY | good | October 20 2018 01:52:05 | 0 | 266 |
| 103.231.152.33 | core1.sin1.he.net | ESTAB | 270 | 0 | DISPLAY | good | October 18 2018 18:39:16 | 270 | 0 |
| 103.246.232.134 | core1.osa1.he.net | ESTAB | 255 | 0 | DISPLAY | good | September 17 2018 00:07:52 | 255 | 0 |

```
SSH@core1.ams1.he.net>terminal length 0
```

```
sh ip bgp nei 185.1.32.22 received-routes
```

There are 262 received routes from neighbor 185.1.32.22

Searching for matching routes, use ^C to quit...

Status A:AGGREGATE B:BEST b:NOT-INSTALLED-BEST C:CONFED_EBGP D:DAMPED

E:EBGP H:HISTORY I:IBGP L:LOCAL M:MULTIPATH m:NOT-INSTALLED-MULTIPATH

S:SUPPRESSED **F:FILTERED** s:STALE x:BEST-EXTERNAL

| | Prefix | Next Hop | MED | LocPrf | Weight | Status |
|---|-----------------|-------------|-----|--------|--------|--------|
| 1 | 1.0.0.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 2 | 1.1.1.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 3 | 23.227.63.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 4 | 64.68.192.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 5 | 66.235.200.0/24 | 185.1.32.22 | | 100 | 0 | EF |
| | AS_PATH: 13335 | | | | | |
| 6 | 104.16.0.0/12 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 7 | 104.16.0.0/20 | 185.1.32.22 | | 100 | 0 | ME |



```
SSH@core1.ams1.he.net>terminal length 0
```

```
sh ip bgp nei 185.1.32.22 received-routes
```

There are 262 received routes from neighbor 185.1.32.22

Searching for matching routes, use ^C to quit...

Status A:AGGREGATE B:BEST b:NOT-INSTALLED-BEST C:CONFED_EBGP D:DAMPED

E:EBGP H:HISTORY I:IBGP L:LOCAL M:MULTIPATH m:NOT-INSTALLED-MULTIPATH

S:SUPPRESSED **F:FILTERED** s:STALE x:BEST-EXTERNAL

| | Prefix | Next Hop | MED | LocPrf | Weight | Status |
|---|-----------------|-------------|-----|--------|--------|--------|
| 1 | 1.0.0.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 2 | 1.1.1.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 3 | 23.227.63.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 4 | 64.68.192.0/24 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 5 | 66.235.200.0/24 | 185.1.32.22 | | 100 | 0 | EF |
| | AS_PATH: 13335 | | | | | |
| 6 | 104.16.0.0/12 | 185.1.32.22 | | 100 | 0 | ME |
| | AS_PATH: 13335 | | | | | |
| 7 | 104.16.0.0/20 | 185.1.32.22 | | 100 | 0 | ME |

[Toms-MacBook-Pro-38:Downloads tom\$ whois -h whois.radb.net 66.235.200.0

route: 66.235.200.0/24
descr: CMI (Customer Route)
origin: AS38082
mnt-by: MAINT-AS58453
changed: qas_support@cmi.chinamobile.com 20180906
source: RADB

route: 66.235.200.0/24
descr: CMI IP Transit
origin: AS38082
admin-c: MAINT-CMI-INT-HK
tech-c: MAINT-CMI-INT-HK
mnt-by: MAINT-CMI-INT-HK
changed: qas_support@cmi.chinamobile.com 20180906
source: NTTCOM

Hurricane Electric

Route Filtering Algorithm

- ❑ Read more here

<http://routing.he.net/algorithm.html>

- ❑ Example:
- ❑ xx.7.224.0/24,rejected,does not strictly match IRR policy or RIR handles
- ❑ xx.10.254.0/23,accepted,strictly matched IRR policy
- ❑ xx.17.248.0/24,accepted,strictly matched IRR policy
- ❑ xx.26.36.0/22,rejected,does not strictly match IRR policy or RIR handles
- ❑ xx.26.39.0/24,rejected,does not strictly match IRR policy or RIR handles

Update your ROA/IRR



HURRICANE ELECTRIC
INTERNET SERVICES

AS13335 Cloudflare, Inc.

Quick Links

[BGP Toolkit Home](#)
[BGP Prefix Report](#)
[BGP Peer Report](#)
[Exchange Report](#)
[Bogon Routes](#)
[World Report](#)

AS Info

Graph v4

Graph v6

Prefixes v4

Prefixes v6







Peers v4

Peers v6

Whois

IRR

IX

| Prefix | | Description | |
|----------------------------|---|---|---|
| 1.0.0.0/24 |   | APNIC and Cloudflare DNS Resolver project |  |
| 1.1.1.0/24 |   | APNIC and Cloudflare DNS Resolver project |  |



ROA Signed and Valid



ROA Signed and Invalid



IRR Valid



IRR Match - Parent Entry Found



IRR Invalid



Resources

- ❑ <https://www.seattleix.net/faq>
- ❑ <https://twitter.com/bgpstream/status/1078584924364595202?lang=en>
- ❑ <https://bgp.he.net>
- ❑ <https://routing.he.net>
- ❑ <https://github.com/snar/bgpq3>
- ❑ <https://bgpmon.net/>
- ❑ <https://bgpstream.com/>
- ❑ <https://bgpmon.net/>
- ❑ <http://peering.exposed/>

Thanks!

Walt Wollny, Director Interconnection Strategy
Hurricane Electric AS6939
walt@he.net