HolistIX: Software & Intend Based Networking within IXPs

Marc Bruyere & Christoff Visser @ IIJ Lab









How IXPs can minimize Effort, Cost and Risk ?






Administrative Commercial








Engineering Technical




Administrative Commercial








Engineering Technical




Administrative Commercial



Ingineering Technical






Commercial



Engineering Technical



Question: The effort and cost for connecting a new IXP member?



IXP's "Costs" Cost level to connect a new member

	Request To connect	Provisioning	Setup	Validation	Maintenance
Administration Commercial	Medium	Low	None	None	None
Engineering Technical	Low to none	Medium	High	High	Medium to high
Hardware Infrastructure	None	Medium to high	Medium	Low to none	Low to none




IXP's "Costs" Cost level to connect a new member

	Request To connect	Provisioning	Setup	Validation	Maintenance
Administration Commercial	Medium	Low	None	None	None
Engineering Technical Low to none		Medium	High	High	Medium to high
Hardware Infrastructure	None	Medium to high	Medium	Low to none	Low to none



IXP's "Costs" Our Reduction Goals






١g	Setup	Validation	Maintenance
	None	None	None
	High	High	Medium to high
nigh	Medium	Low to none	Low to none

Question: Cost to change the infrastructure architecture?




IXP's "Costs" IXP infrastructure cost level





Stagging	Validation Pre production	Maintenance
None	None	None
High	High	Medium to High
Medium	High	None


IXP's "Costs" IXP infrastructure cost level





Stagging	Validation Pre production	Maintenance
None	None	None
High	High	Medium to High
Medium	High	None


IXP's "Costs" Reduction goals





Stagging	Validation Pre production	Maintenance
None	None	None
V High	High	Medium to High
Medium	High	None








HolistIX: Full Automation Stack































- Free & Open Source Software Platform for IXPs
- Teaches and implements best practice
- MANRS Compliant
- Full stack management platform
- Do more with less
- Route server configuration




Question : What bring HolistIX ?
















HolistIX

- Introduce automation from the top down for IXPs \bullet
 - Plan > Verify > Deploy
- Based on the Software Designed Network Umbrella switching fabric.
 - Change broadcast packets to unicast ones
 - No more quarantine time
 - Not all vendor switch can support Umbrella



Miru: Provisioning & Planning







Verify

Dashboard

Overall Member Numbers

Member Type	Count
Internal	1
Full	20

Members by VLAN

We count full and pro-bono members with at least one connected physical interface.


VLAN	Members	Percentage
Peering_VLAN	25	100%
NSPIPX3_VLAN	3	12%

Members by Location

Location	Members
KDDI Otemachi	20
NTTCom Otemachi	8
NTTData Otemachi	1

Member Ports by Location


Location	100 Mbits	1 Gbits	10 Gbits	Total
NTTCom Otemachi	0	6	2	8
NTTData Otemachi	0	0	1	1
KDDI Otemachi	5	11	4	20
Totals	5	17	7	29






Vi

tual Interface	s / List				HOI	
Show 10 🗢 entri	es		Ś	Search:		
Member 🔨	Facility 🛝	Switch ∿	Port(s) ∿	Speed ∿	Raw Speed ↑∿	Action↑↓
Acme Internet Access	Facility 1	s1	port1.0.1	1 Gbits	1000	A
Alpha Corp	Facility 1	s1	port1.0.2	1 Gbits	1000	e
Charlie Internet Access	Facility 1	s1	port1.0.3	1 Gbits	1000	e
Delta Internet Access	Facility 1	s2	port1.0.1	1 Gbits	1000	A
Echo Internet Access	Facility 1	s2	port1.0.2	1 Gbits	1000	A
Foxtrot internet	Facility 1	s2	port1.0.3	1 Gbits	1000	e
Golf Electric	Facility 1	s3	port1.0.1	1 Gbits	1000	e



Customer ↑↓	Interface(s) 🔨	VLAN 🛝	IPv4 ↑↓	IPv6 ↑∿	MAC Address 🛝	Manufacturer 🛝	Actions
Acme Internet Access	s1::port1.0.1	peering	10.0.0.1	fd00::1	00000000000	Unknown	۲
Acme Internet Access	s1::port1.0.1	Vlan2	10.0.1.1	2001:db8:1::1	00000000021	Unknown	۲
Acme Internet Access	s1::port1.0.1	vlan3	10.0.2.1	2001:db8:2::	00000000022	Unknown	۲
Acme Internet Access	s1::port1.0.1	vlan4	10.0.3.1	2001:db8:3::	00000000023	Unknown	۲
Alpha Corp	s1::port1.0.2	peering	10.0.0.2	fd00::2	00000000002	Unknown	۲
Charlie Internet Access	s1::port1.0.3	peering	10.0.0.3	fd00::3	00000000003	Unknown	۲
Delta Internet Access	s2::port1.0.1	peering	10.0.0.4	fd00::4	00000000004	Unknown	۲
Echo Internet Access	s2::port1.0.2	peering	10.0.0.5	fd00::5	00000000005	Unknown	۲
Foxtrot internet	s2::port1.0.3	peering	10.0.0.6	fd00::6	00000000006	Unknown	۲
golf	s3::port1.0.1	peering	10.0.0.7	fd00::7	00000000007	Unknown	۲







Miru


Miru

File Edit View Arrange Extras	
🔟 100% ପ୍ର୍ 🖛 ା	≣ % % <u>∠</u> ⊡ → · ,≓ · +
General	• • •
	s1
Switches	
	s2,port1.0.%s1,port1.0.8 s3,port1.0.8,1,port1.0.10
"	
	s2 ===s2;port1.0.1+,s3;port1.0.9 === s3






Miru





Miru

- Visual network planning
- Drag and drop diagramming
- Acts as the networks source of truth
- Generates network configurations
- Emulate and test your network before deploying it
- Deploy with a single click





Athos: No more risk with verification








Athos

- Emulates configured network
- Test reachability between members
- Validates network redundancy

Athos output

Echo Internet Access -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Foxtrot internet golf IIJ SCIX test VEON Group Foxtrot internet -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access golf IIJ SCIX test VEON Group golf -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet IIJ SCIX test VEON Group IIJ -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet golf SCIX test VEON Group SCIX -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet golf SCIX test VEON Group SCIX -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet golf IIJ test VEON Group test -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet golf IIJ test VEON Group VEON Group -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet golf IIJ SCIX VEON Group VEON Group -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet golf IIJ SCIX VEON Group VEON Group -> Acme Internet Access Alpha Corp Charlie Internet Access Delta Internet Access Echo Internet Access Foxtrot internet golf IIJ SCIX test *** Results: 0% dropped (110/110 received) *** Stopping 1 controllers *** Stopping 1 controllers faucet *** Stopping 16 links *** Stopping 6 switches c101 c102 s1 s2 s3 s4 *** Stopping 11 hosts h1 h2 h3 h4 h5 h6 h7 h8 h9 h10 h11 *** Done Success with no packet loss






- OpenFlow support on edge Switches
- P4 support for core switches
- Docker support

Cerberus: Make it work & maintained Deploy






Cerberus

- API support to deploy from IXP Manager
- Rollback and fail state integration
- Transfer network config generation to the controller \bullet











- Automated deployment \bullet
- No more manual configuration when making changes
- Push on Green
- Made for SDN Switching Fabric





Show time: Real hardware demo



```
C T1 Member A
MemberA:# ip a
```

link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00

1000

```
inet6 fd80:9cb1:aeff:8181::10/64 scope global
```

```
inet6 fe80::3efd:feff:fe02:506/64 scope link
```

```
valid_lft forever preferred_lft forever
```

```
PING 10.200.0.2 (10.200.0.2) 56(84) bytes of data.
```

```
💮 🗙 🔨 Member B
                                                                                               MemberB:# ip a
1: lo: <LOOPBACK> mtu 65536 qdisc noop state DOWN group default qlen 1000
                                                                                               1: lo: <LOOPBACK> mtu 65536 qdisc noop state DOWN group default qlen 1000
                                                                                                   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
3: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 2: eth1.1234@eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group defa
                                                                                               ult glen 1000
    link/ether 3c:fd:fe:02:05:06 brd ff:ff:ff:ff:ff:ff
                                                                                                   link/ether 00:0c:29:af:0a:bb brd ff:ff:ff:ff:ff:ff
    inet 10.200.0.1/24 scope global eth1
                                                                                                   inet 10.200.0.2/24 scope global eth1.1234
      valid_lft forever preferred_lft forever
                                                                                                      valid_lft forever preferred_lft forever
                                                                                                   inet6 fd80:9cb1:aeff:8181::11/128 scope global
      valid_lft forever preferred_lft forever
                                                                                                      valid_lft forever preferred_lft forever
                                                                                                   inet6 fe80::8678:acff:fe3c:8b03/64 scope link
                                                                                                      valid_lft forever preferred_lft forever
                                                                                                3: eth1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen
MemberA:# ping 10.200.0.2
                                                                                               1000
                                                                                                   link/ether 84:78:ac:3c:8b:03 brd ff:ff:ff:ff:ff:ff
                                                                                               MemberB:# ping 10.200.0.3
                                                                                               PING 10.200.0.3 (10.200.0.3) 56(84) bytes of data.
                                                  R
X X2 Member C
                                                                                             MemberC:# ip a
                                                                                               MemberD:# ip a
1: lo: <LOOPBACK> mtu 65536 qdisc noop state DOWN group default qlen 1000
                                                                                               1: lo: <LOOPBACK> mtu 65536 qdisc noop state DOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
                                                                                                   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
9: ens9f0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 100
                                                                                               2: ens9.1234@ens9f1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc noqueue state UP group de
                                                                                                fault qlen 1000
    link/ether 00:0f:1f:67:32:ea brd ff:ff:ff:ff:ff:ff
                                                                                                   link/ether b8:c2:53:30:ac:5b brd ff:ff:ff:ff:ff:ff
    inet 10.200.0.3/24 scope global ens9f0
                                                                                                   inet 10.200.0.4/24 scope global ens9.1234
      valid_lft forever preferred_lft forever
                                                                                                      valid_lft forever preferred_lft forever
    inet6 fd80:9cb1:aeff:8181::12/64 scope global
                                                                                                   inet6 fd80:9cb1:aeff:8181::13/64 scope global
      valid_lft forever preferred_lft forever
                                                                                                      valid_lft forever preferred_lft forever
MemberC:# ping 10.200.0.4
                                                                                                   inet6 fe80::bac2:53ff:fe30:ac5b/64 scope link
PING 10.200.0.4 (10.200.0.4) 56(84) bytes of data.
                                                                                                      valid_lft forever preferred_lft forever
                                                                                               10: ens9f1: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 100
                                                                                                   link/ether b8:c2:53:30:ac:5b brd ff:ff:ff:ff:ff:ff
                                                                                               MemberD:# ping 10.200.0.1
                                                                                               PING 10.200.0.1 (10.200.0.1) 56(84) bytes of data.
```



Deployments and collaboration

- Deployed at the Toulouse IX
- DIX-IE -> PIX-IE WIDE Project IXP
- France-IX HolistIX testbed
- Discussion with CIVIX and KINIX



Sustaining the peering community

- Looking for testing and demo with IXPs and ISPs
- Aim to build a long-term initiative
- Aiming to publish Academic papers as: <u>https://ieeexplore.ieee.org/document/9615540</u>



Questions?

Links and Contact <u>https://holistix.iijlab.net</u>

<u>contact@holistix.email</u>



